ACT SETSTACK

four UV

Pre-owned Utra Violet Dryer with four lamps. Belt length is 8.4 meters.

Spécifications techniques


CazProductNuméro CPN	6636
Nom	ACT SETSTACK
Vitesse jusqu'à	60-100 meters per minute
Longueur max. de la feuille	734 mm
Largeur max. de la feuille	900 mm

Vidéos

Il n'y a aucune vidéo pour ce produit.

Photos






Follow us:





ULTRA VIOLET SYSTEMS


OFF
LAMP No.1
LAMP No.2
LAMP No.3
LAMP No.4
ULTRA VIOLET SYSTEMS
ACT
APPLIED CURING TECHNOLOGY LTD
Malvern . WR14 1TF . England.


ACT
APPLIED CURING TECHNOLOGY LTD.
Assembly Nº 100380PL Serial Nº 487
Equip. Type SET STACK W/O Nº J191
Lamp Unit Nº 100289PL Refl. Nº 100279-B
Supply 415 V 3 Ph 50 Hz
Rated Current
Control Voltage 110V 50Hz
Power 75KVA UNBALANCED Circuit 100331-B
Air Supply 6 BAR FILTERED & LUBRICATED
MALVERN WR14 1TF ENGLAND

Follow us:



Copyright (C) Applied Curing Technology Ltd | 100381 | M

SETSTACK ULTRA VIOLET DRYER
(No Under Sheet Cure)

MACHINE SPECIFIC INFORMATION

Ass. no	100 380 PL
MACHINE SERIAL NUMBER	437
W.O. no	J191

1.0 MACHINE CONFIGURATION

THREE LAMP MAIN DRYER	No
FOUR LAMP MAIN DRYER	Yes
INFEED EXTENSION	No
OUTFEED EXTENSION	Yes
SHEET EJECT	Yes
UNDER SHEET CURE	No

2.0 MACHINE SPECIFICATION

SUPPLY VOLTAGE	415v, 3ph, 50Hz
TIN LINE HEIGHT	825mm
SHEET WIDTH	600-900mm
SHEET DEPTH	450-734mm
CIRCUIT DIAGRAM	100311B
DUCTING LAYOUT	100317D
PNEUMATIC CIRCUIIT	100373B
BELT LENGTH	8.4 Metres
CONVEYOR SPEED	60 - 100 M/Min.

Lamp unit no 100 289 PL
Reflector no 100 279-B

Revision | Machine Configuration | 100381 | M

Follow us: